

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
8 August 2002 (08.08.2002)

PCT

(10) International Publication Number
WO 02/062056 A1

- (51) International Patent Classification⁷: H04N 5/225, 7/18 (72) Inventor: PELLETIER, Daniel, L.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (21) International Application Number: PCT/IB01/02695 (74) Agent: SCHOENMAKER, Maarten; Internationaal Octroibureau B.V., Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (22) International Filing Date:
20 December 2001 (20.12.2001)
- (25) Filing Language: English (81) Designated States (national): CN, JP, KR.
- (26) Publication Language: English (84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- (30) Priority Data: 09/772,476 29 January 2001 (29.01.2001) US Published:
— with international search report
- (71) Applicant: KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CAMERA SYSTEM AND METHOD FOR OPERATING SAME



(57) Abstract: A camera system and method for operating that system. The camera system comprises a stationary camera having a wide angle view, a remotely controllable camera having a relatively smaller angle view for providing images in substantially full resolution, and a processor. The processor monitors the wide angle view of the stationary camera, receives information concerning a selected desired subject within the wide angle view, generates an electronic pan-tilt-zoom view of the selected desired subject based on the wide angle view of the stationary camera, controls the remotely controllable camera for providing a view that overlaps the electronic pan-tilt-zoom view of the desired subject, and processes the electronic pan-tilt-zoom view of the desired subject in accordance with the resolution of the remotely controllable camera.

WO 02/062056 A1

Camera system and method for operating same

BACKGROUND OF THE INVENTION

Field Of The Invention

The present invention generally relates to a camera system and a method for operating same.

5

Description of Prior Art

In a conventional mechanical pan/tilt/zoom camera system, when a new region of interest is identified, a computer moves the manual camera to view that region and controls the zoom function of the camera in order to frame the new region of interest. On the other hand, conventional electronic-pan-tilt-zoom ("EPTZ") cameras remain stationary, but the region of interest is culled from the overall image and scaled to fit the display window. Furthermore, the resolution of the image of the EPTZ camera is significantly reduced when attempting to upscale a small region of interest to a relatively larger display. Although MPTZ cameras can provide a full resolution view of the desired region of interest, MPTZ cameras cannot immediately move to the next shot.

15

It is therefore an object of the present invention to provide a camera system that provides for instant switching between the view provided by an EPTZ camera and the view provided by an MPTZ camera.

20

Other objects and advantages of the present invention will be apparent to one of ordinary skill in the art in light of the ensuing description of the present invention.

SUMMARY OF THE INVENTION

In one aspect, the present invention is directed to a camera system that comprises a stationary camera having a wide angle view, a remotely controllable camera having a relatively smaller angle view for providing images in substantially full resolution, and a processor. The processor monitors the wide angle view of the stationary camera, receives information concerning a selected desired subject within the wide angle view, generates an electronic pan-tilt-zoom view of the selected desired subject based on the wide angle view of the stationary camera, controls the remotely controllable camera for providing

25

a view that overlaps the electronic pan-tilt-zoom view of the desired subject, and processes the electronic pan-tilt-zoom view of the desired subject in accordance with the resolution of the remotely controllable camera.

In an alternate embodiment, the camera system of the present invention does not effect generation of data defining the desired subject. Instead, the view of the desired subject within the wide angle view is created by a user interface whereby the user manually selects the desired subject.

In another aspect, the present invention is directed to a method of operating a camera system comprising the steps of providing a camera system having a stationary camera providing a wide angle view and a remotely controllable camera set having a relatively smaller angle view for providing images in substantially full resolution, monitoring the wide angle view of the stationary camera, selecting a desired subject within the wide angle view, generating an electronic pan-tilt-zoom view of the desired subject based on the wide angle view of the stationary camera, controlling the remotely controllable camera for providing a view that overlaps the electronic pan-tilt-zoom view of the desired subject, and processing the electronic pan-tilt-zoom view of the desired subject in accordance with the resolution of the remotely controllable camera.

BRIEF DESCRIPTION OF THE DRAWINGS

The features of the invention are believed to be novel and the elements characteristic of the invention are set forth with particularity in the appended claims. The invention itself, both as to organization and method of operation, may best be understood by reference to the detailed description which follows taken in conjunction with the accompanying drawings in which:

FIGS. 1 and 2 are block diagrams illustrating the operation of the camera system of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

Referring to FIG. 1, camera system 10 of the present invention generally comprises stationary camera 12, remotely controllable camera 14 and programmable processor 16. In one embodiment, stationary camera 12 comprises an electronic-pan-tilt-zoom ("EPTZ") camera. In one embodiment, camera 14 comprises a mechanical-pan-tilt-zoom ("MPTZ") camera. Cameras 12 and 14 are controlled by processor 16. Specifically, processor 16 issues commands that can cause camera 12 to electronically pan, tilt, zoom and

focus as well as other camera functions. Remotely controllable camera 14 comprises motors (not shown) which effect pan, tilt, zoom and focus functions. The aforementioned motors are controlled by control signals outputted by processor 16. In one embodiment, processor 16 comprises a computer. One such computer is described in U.S. Patent No. 5,434,617, the disclosure of which is incorporated herein by reference. Stationary camera 12 is configured to provide wide angle view 18. Remotely controlled camera 14 is configured to provide a relatively smaller angle view 20. The configuration of camera 14 allows for a relatively high and full resolution of a desired subject or region of interest.

Referred to FIGS. 1 and 2, processor 16 monitors wide angle view 18 of stationary camera 12. Processor 16 generates pixel data defining a frame containing overall subject area 21 that is within wide angle view 18. Processor 16 also generates data defining the location of desired subject (or region of interest) 22 that is part of subject area 21 and within wide angle view 18. In one embodiment of the present invention, the pixel data defining desired subject or region of interest 22 is inputted into processor 16. Processor 16 then outputs an EPTZ view to display device 24. Processor 16 then controls remotely controllable camera 14 in accordance with the generated pixel data in such a manner that view 20 provided overlaps the portion of wide angle view 18 that contains desired subject 22 (see FIG. 2). Specifically, processor 16 controls the motors (not shown) of camera 14 so as to move camera 14 in such a manner that view 20 of camera 14 overlaps at least a portion of wide angle view 18 such that desired subject 22 is within view 20. Processor 16 then generates pixel data, based upon view 20, defining desired subject 22. Since camera 14 has the capability to provide a smaller, but relatively higher resolution view of desired subjects, the resulting view of desired subject 22 is displayed on a display device 24 with a relatively higher or fuller resolution. Once desired subject 22 is displayed on display device 24, camera 12 can then be controlled to provide a wide angle of view of a new subject area (not shown).

In an alternate embodiment, camera system 10 does not effect generation of data defining the desired subject. Instead, the view of the desired subject within the wide angle view is created by a user interface whereby the user manually selects the desired subject. In such an alternate embodiment, camera system 10 further includes a user interface (not shown) in electronic data communication with processor 16 and an additional display device (not shown) that constantly provides the user with the view of camera 12.

In a preferred embodiment, processor 16 is programmed with software that realizes well known optical flow techniques that are typically used in computer vision systems. These optical flow techniques allow camera system 10 to align the views from the

stationary camera 12 and mechanical camera 14. In a preferred embodiment, processor 16 includes means for receiving calibration data that defines particular operational characteristics of stationary and remotely controlled cameras 12 and 14.

Each step of the method of the present invention is explained in the ensuing description with reference to FIGS. 1 and 2.

In the first step of the method of the present invention, processor 16 monitors wide angle view 18 and generates angle view 18 and generates pixel data that defines view 18.

Next, a desired subject (or region of interest) 22 within wide angle view 18 is selected for viewing with full resolution by processor 16. The image of view 18 is processed using existing and known EPTZ techniques to provide view 19 of the desired subject with relatively low resolution. View 19 is then sent to display device 24.

Next, the pixel data outputted by camera 12 is inputted into processor 16. In response, processor 16 issues commands to camera 14 so as to cause view 20 to overlap view 19 which contains desired subject 22.

In the next step, processor 16 processes pixel data based upon view 20 and provides a full resolution view of desired subject 22.

Next, the full resolution view of desired subject 22 is displayed to viewers via display device 24. After desired subject 22 is displayed on display device 24, camera 12 can then be controlled to provide a wide angle of view of a new subject area (not shown) and the foregoing steps are repeated. In the alternative, after desired subject 22 is displayed to viewers on display 24, a new desired subject (not shown) can be selected from overall subject area 21 and the foregoing steps repeated.

A significant advantage of camera system 10 is that it provides for instant switching between shots, i.e. instant switching between a wide angle view to a full resolution view of a desired subject. Camera system 10 can be implemented with commercially available components. Furthermore, camera system 10 can be implemented at reasonable costs.

The principals, preferred embodiments and modes of operation of the present invention have been described in the foregoing specification. The invention which is intended to be protected herein should not, however, be construed as limited to the particular forms disclosed, as these are to be regarded as illustrative rather than restrictive. Variations in changes may be made by those skilled in the art without departing from the spirit of the invention. Accordingly, the foregoing detailed description should be considered exemplary

in nature and not limited to the scope and spirit of the invention as set forth in the attached claims.

CLAIMS:

1. A camera system (10), the system comprising:
a stationary camera (12) having a wide angle view;
a remotely controllable camera (14) having a relatively smaller angle view for
providing images in substantially full resolution; and
5 a processor (16) for monitoring the wide angle view of the stationary camera
(12), enabling selection of a desired subject within the wide angle view, generating an
electronic pan-tilt-zoom view of the desired subject based on the wide angle view of the
stationary camera, controlling the remotely controllable camera (14) for providing a view that
overlaps the electronic pan-tilt-zoom view of the desired subject, and processing the
10 electronic pan-tilt-zoom view of the desired subject in accordance with the resolution of the
remotely controllable camera (14).
2. The camera system according to claim 1 wherein the stationary camera (12)
comprises a electronic-pan-tilt-zoom camera.
- 15 3. The camera system according to claim 1 wherein the remotely controlled
camera (14) comprises a mechanical-pan-tilt-zoom camera.
4. The camera system according to claim 1 wherein the processor (16) comprises
20 a computer.
5. The camera system according to claim 1 further including means for
displaying the substantially full resolution view of the desired subject.
- 25 6. The camera system according to claim 1 wherein the processor (16) includes
means for receiving calibration data that defines particular operational characteristics of the
stationary and remotely controlled cameras.
7. A method of operating a camera system, comprising the steps of:

providing a camera system (10) having a stationary camera (12) providing a wide angle view and a remotely controllable camera (14) having a relatively smaller angle view for providing images in substantially full resolution;

monitoring the wide angle view of the stationary camera (12);

5 selecting a desired subject within the wide angle view;

generating an electronic pan-tilt-zoom view of the desired subject based on the wide angle view of the stationary camera (12);



controlling the remotely controllable camera (14) for providing a view that overlaps the electronic pan-tilt-zoom view of the desired subject; and

10 processing the electronic pan-tilt-zoom view of the desired subject in accordance with the resolution of the remotely controllable camera (14).

8. The method according to claim 7 further comprising the step of providing calibration data that defines particular operational characteristics of the stationary and
15 remotely controllable cameras.

9. The method according to claim 7 wherein the processing step further comprises the step of displaying the processed view of the desired subject.

20 10. The method according to claim 7 wherein the selecting step comprises the step of generating pixel data defining the desired subject within the wide angle view.



INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 01/02695

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04N5/225 H04N7/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 45511 A (GLUCKMAN JOSHUA M ;SWAMINATHAN RAHUL (US); NAYAR SHREE K (US); UNI) 10 September 1999 (1999-09-10) page 5, line 21 - line 29 page 10, line 6 -page 13, line 4 page 19, line 9 -page 20, line 7 figures 3A,3B,7A-7C	1,3-10
Y	EP 0 529 317 A (SENSORMATIC ELECTRONICS CORP) 3 March 1993 (1993-03-03) column 3, line 47 -column 6, line 58	1-10
Y	US 5 185 667 A (ZIMMERMANN STEVEN D) 9 February 1993 (1993-02-09) abstract column 1, line 1 -column 5, line 8	1-10
	-/-	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

S document member of the same patent family

Date of the actual completion of the international search

6 March 2002

Date of mailing of the international search report

13/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx 31 651 epo nl
Fax (+31-70) 340-3016

Authorized officer

Didierlaurent, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 01/02695

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 714 081 A (SENSORMATIC ELECTRONICS CORP.) 29 May 1996 (1996-05-29) column 2, line 19 -column 4; line 23 figures 1,3	1-10

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inventor's Application No

PCT/IB 01/02695

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9945511 A	10-09-1999	US 6215519 B1	10-04-2001
		AU 2781499 A	20-09-1999
		WO 9945511 A1	10-09-1999
EP 0529317 A	03-03-1993	US 5164827 A	17-11-1992
		BR 9203284 A	06-04-1993
		CA 2064299 A1	23-02-1993
		DE 69216005 D1	30-01-1997
		DE 69216005 T2	03-07-1997
		EP 0529317 A1	03-03-1993
		JP 5207467 A	13-08-1993
US 5185667 A	09-02-1993	EP 0539565 A1	05-05-1993
		EP 0971540 A1	12-01-2000
		JP 3051173 B2	12-06-2000
		JP 6501585 T	17-02-1994
		US 5359363 A	25-10-1994
		US 5313306 A	17-05-1994
		WO 9221208 A1	26-11-1992
		US 6256061 B1	03-07-2001
		US 6301447 B1	09-10-2001
		US 5384588 A	24-01-1995
		US 5903319 A	11-05-1999
		US 6243131 B1	05-06-2001
		US 5990941 A	23-11-1999
		US RE36207 E	04-05-1999
		US 5764276 A	09-06-1998
		US 6201574 B1	13-03-2001
		US 5877801 A	02-03-1999
EP 0714081 A	29-05-1996	AU 701222 B2	21-01-1999
		AU 3798595 A	30-05-1996
		BR 9505248 A	16-09-1997
		CA 2155719 A1	23-05-1996
		DE 69521479 D1	02-08-2001
		DE 69521479 T2	11-10-2001
		EP 0714081 A1	29-05-1996
		JP 8265741 A	11-10-1996